



# ANTITOXINE + ANTIOXIDANT PREMIXS

P

39

ALANTOX PLUS

40

TOXALAN

41

MYCOALN

P

42

MYCOLAN-S

43

ALAN-ANTITOX

44

FEED-TOXINIL

P

45

ALAN-OXISTOP FORT

46

ALAN OXISTOP

# ALANTOX PLUS



## COMPOSITION:

Each 1000 gr contains:

Organic Acids

Calcium Propionate

Calcium Format

Mannan Oligosaccharide

Beta Glucan, Hydrated Sodium Calcium Aluminium Silicate (HSCAS)

## INDICATIONS:

Protection against a broad spectrum of mycotoxins.

Increase the efficiency of the immune system.

Fertility increase.

Supporting productive performance in animals.

Supports normal digestive processes and the production of internal enzymes necessary to maintain healthy growth and performance.

## DOSAGE:

- 0.5 – 1 Kg for 1 Ton of Feed.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# TOXALAN



## COMPOSITION:

Each 1000 gr contains:

Calcium Format	85,000	mg
Inactive Yeast	15,000	mg
Citric Acid	5,000	mg
Sorbic Acid	2,000	mg
Propionic Acid	5,000	mg
Sodium Bentonite	250,000	mg
Clinoptilolite	638,000	mg

## INDICATIONS:

Protection against a broad spectrum of mycotoxins.

Increase the efficiency of the immune system.

Fertility increase.

Supporting productive performance in animals.

## DOSAGE:

- 1 kg per ton of feed.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



40



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# MYCOLAN



## COMPOSITION:

Each 1000 gr contains:

Inactive Yeast	10,000	mg
Sodium Bentonite	100,000	mg
Clinoptilolite	890,000	mg

## INDICATIONS:

- Protection against a broad spectrum of mycotoxins.
- Increase the efficiency of the immune system.
- Fertility increase.
- Supporting productive performance in animals.

## DOSAGE:

- 1 kg per ton of feed.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



41



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# MYCOLAN-S



## COMPOSITION:

Each 1000 gr contains:

Inactive Maya	400,000	mg
Activated Carbon	100,000	mg
Clinoptilolite	500,000	mg

## INDICATIONS:

- Protection against a broad spectrum of mycotoxins.
- Increase the efficiency of the immune system.
- Fertility increase.
- Supporting productive performance in animals.
- Supports normal digestive processes and the production of internal enzymes necessary to maintain healthy growth and performance.

## DOSAGE:

- 1 kg per ton of feed.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



42



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# ALAN-ANTITOX

## COMPOSITION:

Each 1000 gr contains:

Inulin	30,000	mg
Active Molecule Silymarin	60,000	mg
Thyme Oil	2,000	mg
Activated Carbon	30,000	mg
Clinoptilolite	600,000	mg
Malt Grass	278,000	mg

## INDICATIONS:

Protection against a broad spectrum of mycotoxins.

It has antioxidant and antiviral properties.

Increase the efficiency of the immune system.

Fertility increase.

Supporting productive performance in animals.

Supports normal digestive processes and the production of internal enzymes necessary to maintain healthy growth and performance.

## DOSAGE:

- (0.5 – 2) kg per ton of feed



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



43



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# FEED-TOXINIL

## COMPOSITION:

Each 1000 gr contains:

Ammonium Formate	250,000	mg
Ammonium Propionate	74,000	mg
Formic Acid 85%	80,000	mg
Clinoptilolite	556,000	mg

## INDICATIONS:

Organic acids with known antimicrobial activity to help control Campylobacter, Salmonella, Escherichia coli and other Gram-negative microorganisms in raw materials and processed feeds.

Increased gut microbiota growth.

Increased activity of the digestive system.

It acidifies the feed and thus prevents the formation of mold and bacteria in the feed.

- Supports a strong gastric barrier essential for maintaining general health.

## DOSAGE:

- 1 kg per ton of feed.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



44



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# ALAN-OXISTOP FORT



## COMPOSITION:

Each 1000 gr contains:

Butylated Hydroxy Toluene (BHT)	200,000	mg
Butylated Hydroxy Anisole (BHA)	200,000	mg

## INDICATIONS:

Antioxidants added to animal feed to prevent oxidation and rancidity of materials.

## DOSAGE:

- 25 - 50 gr per 1 ton of final feed.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



45



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.



# ALAN OXISTOP



## COMPOSITION:

Each 1000 gr contains:

Butylated Hydroxy Toluene (BHT)	110,000	mg
Butylated Hydroxy Anisole (BHA)	10,000	mg
Sodium Citrate	50,000	mg

## INDICATIONS:

Antioxidants added to animal feed to prevent oxidation and rancidity of materials.

## DOSAGE:

- 125 gr per 1 ton of final feed.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



46



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.