



# WATER SOLUBLE POWDER

P

23

ALAN-ACK

24

ALAN-BCK

25

ALAN-C

26

ALAN-C20

27

ALAN-E.S.W.S

28

ALAN - MULTIVIT

P

29

ALAN-VITAMINO

30

ALAN VIT PLUS

31

ALAN ANTI-STRESS

32

ALAN CALF

33

PROBIO-LAN

34

ALAN-SILAJ

P

35

DIARESTOP

36

RENAL

37

RENALFORT

# ALAN-ACK



## COMPOSITION:

Each 1000 gr contains:

Vitamin A	30,000,000	IU
Vitamin C	10,000	mg
Vitamin K3	25,000	mg

## INDICATIONS:

Increased nerve activity.

Increased muscle, hair and skin growth.

Helps reduce the effects of stress.

Protection from foot diseases, paralysis and lameness.

## DOSAGE:

- **Poultry:** 100 gr per 200 litters of drinking water.
- **Cattle, Horses:** 1 gr per 10 kg bodyweight for 3 – 5 days.
- **Sheep, Goats, Calves:** 1 gr per 10 kg bodyweight for 3 – 5 days.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



23



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# ALAN-BCK



## COMPOSITION:

Each 1000 gr contains:

Vitamin B1	1,750 mg
Vitamin B2	3,500 mg
Niacin	17,500 mg
Calcium-D-Pantothenate	5,000 mg
Vitamin B6	1,750 mg
Biotin	35 mg
Vitamin B12	10 mg
Vitamin C	45,000 mg
Vitamin K3	3,000 mg

## INDICATIONS:

- Increased nerve activity.
- Increased muscle, hair and skin growth.
- Helps reduce the effects of stress.
- Protection from foot diseases, paralysis and lameness.

## DOSAGE:

- **Poultry:** 250 - 500 g per 1000 liters of water from 3-5 days.
- **Cattle, Horses:** 1 g per 10 kg body weight for 3-5 days.
- **Sheep, Goats, Calves:** 1 g per 10 kg body weight for 3-5 days.



## SUPPLEMENT

It is a Feed Additive  
**Not Used as Medicine**

IT'S USED  
FOR:



24



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.



# ALAN-C



## COMPOSITION:

Each 1000 gr contains:

**Vitamin C** 650,000 mg

## INDICATIONS:

It is used on animals to prevent heat stress.

Immunity booster.

Appetite problems, lack of feed consumption and conversion rates.

## DOSAGE:

- **Poultry:** 40 gr per 200 liters of drinking water for 5 days.
- **Sheep, Goats:** 1 gr each one in drinking water for 7 days.
- **Calves:** 10 gr each one in drinking water for 7 days.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



25



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# ALAN-C20



## COMPOSITION:

Each 1000 gr contains:

**Vitamin C** 200,000 mg

## INDICATIONS:

It is used on animals to prevent heat stress.

Immunity booster.

Appetite problems, lack of feed consumption and conversion rates.

## DOSAGE:

- **Poultry:** 100 gr per 200 liters of drinking water for 5 days.
- **Sheep, Goats:** 3 gr each one in drinking water for 7 days.
- **Calves:** 25 gr each one in drinking water for 7 days.



## SUPPLEMENT

It is a Feed Additive  
**Not Used as Medicine**

**IT'S USED FOR:**



26



**MEDICATED DRINKING WATER SHOULD BE USED WITHIN 24 HOURS.**

# ALAN-E.S W.S



## COMPOSITION:

Each 100 gr contains:

Vitamin E	2,000	mg
Selenium	45	mg

## INDICATIONS:

- Compensation for the deficiency of this vitamin in the animal's body.
- Protection of chicks from encephalopathy (crazy chick disease).
- Prevention of muscular dystrophy (white muscle disease, rigors of pregnancy).
- Increased fertility and production.

## DOSAGE:

- **Poultry:** 100 gr per 100 liters of drinking water 3-5 days.
- **Livestock:** 5 gr per 50 kg body weight for 3-5 days.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



27



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.



# ALAN - MULTIVIT



## COMPOSITION:

Each 1000 gr contains:

Vitamin A	9,000,000	IU	Vitamin K3	10	mg
Vitamin D3	2,200,000	IU	Choline Chloride	350	mg
Vitamin E	2,000	mg	Magnesium	5,000	mg
Vitamin B1	50	mg	Zinc	5,000	mg
Vitamin B2	4	mg	Iron	1,000	mg
Vitamin B3 (Niacin)	1,000	mg	Cobalt	100	mg
Vitamin B5 (Pantothenic Acid)	100	mg	Selenium	110	mg
Vitamin B6	500	mg	DL-Methionine	1,000	mg
Vitamin B7 (Biotin)	10,000	mcg	Lysine Hcl	1,000	mg
Vitamin B9 (Folic acid)	10	mg	Threonine	500	mg
Vitamin B12	1,000	mcg	Betaine	100	mg
Vitamin C	2,000	mg			

## INDICATIONS:

Increase animal vitality and maintain its health.  
Productivity support.  
Support and formation of vital immunity.  
Relieving symptoms of heat stress.

## DOSAGE:

- **Poultry:** 100 gr per 200 liters of drinking water.
- **Cattle, Horses:** 1 gr per 10 kg bodyweight for 3 - 5 days.
- **Sheep, Goats, Calves:** 1 gr per 10 kg bodyweight for 3 - 5 days.



## SUPPLEMENT

It is a Feed Additive  
**Not Used as Medicine**

IT'S USED  
FOR:



28



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# ALAN-VITAMINO



## COMPOSITION:

Each 1000 gr contains:

Vitamin A	8,000,000	IU
Vitamin D3	1,000,000	IU
Vitamin E	10,000	mg
Vitamin B1	1,000	mg
Vitamin B2	1,000	mg
Vitamin B3 (Niacin)	15,000	mg
Vitamin B5 (Pantothenic Acid)	4,000	mg
Vitamin B6	1,000	mg
Vitamin B7 (Biotin)	15,000	mcg
Vitamin B9 (Folic acid)	200	mg
Vitamin B12	5,000	mcg
Vitamin C	7,000	mg
L – Threonine	2,352	mg
L – Valin	4,416	mg
L – Alanine	3,120	mg
L – Arginine	3,888	mg
Aspartic Acid	3,360	mg
Phenylalanine	2,880	mg
Glycine	4,944	mg
Monosodium Glutamate	9,600	mg
L – Isoleucine	2,592	mg

L – Leucine	4,656	mg
L – Lysine Hcl	8,304	mg
DL-Methionine	1,814	mg
L – Proline	5,952	mg
L – Tyrosine	1,555	mg
Iron	8,000	mg
Zinc	7,250	mg
Manganese	9,300	mg
Copper	1,250	mg
Selenium	100	mg

## INDICATIONS:

Increase animal vitality and maintain its health.  
Productivity support.  
Support and formation of vital immunity.  
Relieving symptoms of heat stress.  
Providing the animal body with an integrated set of amino acids that play an important role in most metabolic processes within the body.

## DOSAGE:

- **Poultry:** 100 gr per 200 L of drinking water for 3 – 5 days.
- **Calves and Lambs:** 1 gr per 10 kg body weight daily.
- **Horses:** 10 g per 100 kg body weight 3-5 days before the race.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



29



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.



# ALAN VIT PLUS



## COMPOSITION:

Each 1000 gr contains:

Vitamin A	8,000,000	IU
Vitamin D3	1,500,000	IU
Vitamin E	6,000	mg
Vitamin B1	1,250	mg
Vitamin B2	2,000	mg
Vitamin B3 (Niacin)	12,500	mg
Vitamin B6	1,000	mg
Vitamin B9 (Folic Acid)	400	mg
Vitamin B12	5,000	mcg
Vitamin K3	2,000	mg
Vitamin C	1,500	mg
L – Threonine	1,225	mg
L – Valin	2,300	mg
L – Alanine	1,625	mg
L – Arginine	2,025	mg
L – Aspartic Acid	1,750	mg
L – Phenylalanine	1,500	mg
L – Glycine	2,575	mg
L – Glutamic Acid	3,525	mg
L – Isoleucine	1,350	mg

L – Leucine	2,425	mg
L – Lysine	4,325	mg
DL-Methionine	945	mg
L – Proline	3,100	mg
L – Tyrosine	810	mg
Iron Sulphate	25,000	mg
Cobalt Sulphate	150	mg
Manganese Sulphate	15,000	mg
Zinc Sulphate	10,000	mg
Calcium Chloride	10,000	mg

## INDICATIONS:

Increase animal vitality and maintain its health.  
Productivity support.  
Support and formation of vital immunity.  
Relieving symptoms of heat stress.  
Providing the animal body with an integrated set of amino acids that play an important role in most metabolic processes within the body.

## DOSAGE:

- Poultry: 100 gr per 200 L of drinking water for 3 – 5 days.
- Calves and Lambs: 1 gr per 10 kg body weight daily.
- Horses: 10 gr per 100 kg body weight 3-5 days before the race.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED FOR:



30



MEDICATED DRINKING WATER SHOULD BE USED WITHIN 24 HOURS.

# ALAN ANTI-STRESS



## COMPOSITION:

Each 1000 gr contains:

Salicylic Acid	250,000	mg
Caffeine	32,500	mg
Vitamin C	60,000	mg
Magnesium Sulphate	7,100	mg
Sodium Bicarbonate	50,000	mg
Sodium chloride	70,000	mg
Sodium Sulphate	225,000	mg
Potassium Chloride	11,000	mg

## INDICATIONS:

It is used on animals to prevent heat stress.

Immunity booster.

Appetite problems, lack of feed consumption and conversion rates.

## DOSAGE:

- **Poultry:** 500 gr per 1000 L of drinking water for 3 –5 days.
- **Cows and Sheep:** 1 gr per 10 kg body weight daily.
- **Horses:** 10 gr per 100 kg body weight 3-5 days before the race.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.



# ALAN CALF



## COMPOSITION:

Each 1000 gr contains:

Vitamin A	20,000,000	IU
Vitamin B3	3,000,000	IU
Vitamin E	25,000	mg
Vitamin B1	8,000	mg
Vitamin B2	4,000	mg
Vitamin B3 (Niacin)	20,000	mg
Vitamin B5 (Pantothenic Acid)	12,000	mg
Vitamin B6	5,000	mg
D - Biotin	50	mg
Vitamin B12	20	mg
Manganese	50,000	mg
Iron	50,000	mg
Zinc	50,000	mg
Copper	10,000	mg
Copper Glycinate	5,000	mg
Manganese Glycinate	10,000	mg
Zinc Glycinate	20,000	mg
Iodine	800	mg
Cobalt	150	mg

Selenium	150	mg
Saccharomyces Cerevisiae	100 × 10 <sup>11</sup>	CFU
Cholin Chloride 60%	96,000	mg
Pectin	100,000	mg
Kaolin	150,000	mg

## INDICATIONS:

For suckling calves:  
Supplying the body with the essential needs of vitamins and minerals.  
Increase the growth of young calves.  
Increased activity of the digestive system.  
Prevention of respiratory problems.  
Supports beneficial bacteria in the digestive tract and increases feeding efficiency.  
Reducing recurrent diarrhea in suckling calves.

## DOSAGE:

- **Small Calves:** It is given daily by mixing 10-15 gr. Of milk and feed per calf.
- Or as veterinarian recommendations.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED FOR:



32



MEDICATED DRINKING WATER SHOULD BE USED WITHIN 24 HOURS.



# PROBIO-LAN



## COMPOSITION:

Each 1000 gr contains:

Lactobacillus Casei	600 x 10 <sup>7</sup>	CFU
Lactobacillus Acidophilus	2400 x 10 <sup>7</sup>	CFU
Lactobacillus Plantarum	2700 x 10 <sup>7</sup>	CFU
Bacillus Subtilis	3900 x 10 <sup>7</sup>	CFU
Xylanase Endo 1.4 Beta Xylanase	1,872,000	U
Glucanase Endo 1.4 Beta Glucanase	900,000	U
Glycanase Endo 1.3 Beta Glucanase	60,000	U
Amylase Alpha Amylase	72,000	U
Mannase Endo 1.4 Beta Mannase	225	U
Pectinase	720	U

## INDICATIONS:

Contributes to supporting the immune system.  
Increased activity of the digestive system.  
Fighting the access of germs to blood cells.  
Increase the absorption of nutrients, vitamins and minerals.  
Maintaining the physiological balance in the intestine.  
Liver protection and detoxification.  
Increase production and feed consumption rate.  
Increase the fertilization rate.

## DOSAGE:

- Unless recommended otherwise by the veterinarian.
- 500 gr is used for 1 ton of drinking water.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



33



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# ALAN-SILAJ



## COMPOSITION:

Each 1000 gr contains:

Lactobacillus Casei	600 x 10 <sup>7</sup>	CFU
Lactobacillus Acidophilus	2400 x 10 <sup>7</sup>	CFU
Lactobacillus Plantarum	2700 x 10 <sup>7</sup>	CFU
Bacillus subtilis	3900 x 10 <sup>7</sup>	CFU
Xylanase Endo 1.4 Beta Xylanase	1,872,000	U
Glucanase Endo 1.4 Beta Glucanase	900,000	U
Glycanase Endo 1.3 Beta Glucanase	60,000	U
Amylase Alpha Amylase	72,000	U
Mannase Endo 1.4 Beta Mannase	225	U
Pectinase	720	U

## INDICATIONS:

Contributes to supporting the immune system.  
Increased activity of the digestive system.  
Fighting the access of germs to blood cells.  
Increase the absorption of nutrients, vitamins and minerals.  
Maintaining the physiological balance in the intestine.  
Liver protection and detoxification.  
Increase production and feed consumption rate.  
Increase the fertilization rate.

## DOSAGE:

- One pack (250 GR). It is used for 100 tons of corn. One package is diluted in 200 - 300 liters of water and used in 100 tons of silage. 1 - 2L/ton is sprayed.
  - It can be used in all spraying systems.
- In Package Silages 500,000 CFU buffer is applied to 1 gr. green plant in accordance with dry matter.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



34



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# DIARESTOP



## COMPOSITION:

Each 1000 gr contains:

Vitamin A	2,500,000	IU
Vitamin K3	9,000	mg
Vitamin C	10,000	mg
Copper	1,500	mg
Selenium	100	mg
Pectin	60,677	mg
Kaolin	900,000	mg

## INDICATIONS:

Stop diarrhea in animals.

Prevention and rid the body of toxins.

Works on the rapid healing of wounds in the digestive system.

It works to increase the efficiency of the absorption of digested nutrients and prevent them from being expelled from the body.

Increase feed conversion rate.

## DOSAGE:

- Cow- Camel: 10 gr/day.
- Calf - Foal: 5 gr/Day.
- Sheep – Goat: 5 gr/day.
- Lamb - Capricorn: 3 gr/day.



## SUPPLEMENT

It is a Feed Additive  
Not Used as Medicine

IT'S USED  
FOR:



35



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.



# RENAL



## COMPOSITION:

Each 1000 gr contains:

Ammonium Chloride	300,000	mg
Sodium Citrate	5,000	mg
Potassium Chloride	20,000	mg
Magnesium Sulphate	100,000	mg
Vitamin C	100,000	mg
DL-Methionine	100,000	mg
Betaine	100,000	mg

## INDICATIONS:

Prevention of complications of hydronephrosis and nephritis.

Liver function tonic.

It increases urine output.

Contains ammonium chloride as a urinary acidifying agent to prevent and dissolve certain types of urinary tract stones and to promote renal excretion of certain toxins.

- Potassium chloride and magnesium sulfate to mitigate the harmful effects of heat stress on birds to improve their productive performance.

Increase growth and strengthen immunity.

## DOSAGE:

- **Poultry:** 100 gr per 100 Liter of drinking water for 2 – 3 days or 2 kg per ton of feed for 2-3 days.



## SUPPLEMENT

It is a Feed Additive  
**Not Used as Medicine**

IT'S USED  
FOR:



36



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.

# RENAL FORT



## COMPOSITION:

Each 1000 gr contains:

Ammonium Chloride	650,000	mg
DL-Methionine	100,000	mg
Betaine	50,000	mg
Vitamin C	75,000	mg
Vitamin A	500,000	IU

## INDICATIONS:

Prevention of complications of hydronephrosis and nephritis.

Liver function tonic.

It increases urine output.

Contains ammonium chloride as a urinary acidifying agent to prevent and dissolve certain types of urinary tract stones and to promote renal excretion of certain toxins.

Increase growth and strengthen immunity.

## DOSAGE:

**Poultry:** 100 gr / 200 Liter of drinking water for 2 – 3 days or 2 kg per ton of feed for 2-3 days.



## SUPPLEMENT

It is a Feed Additive  
**Not Used as Medicine**

IT'S USED  
FOR:



37



MEDICATED DRINKING WATER SHOULD  
BE USED WITHIN 24 HOURS.