



POULTRY PREMIXES

- P
- 48 ALANVIT LAYER PRO 0.1%
- 49 ALANVIT LAYER BRE 0.1%
- 50 ALANMIN LAYER 0.1%
- 51 SUPER ALAN LAYER 1%
- 52 SUPER ALAN LAYER 2.5%
- 53 ALAN SHELL
- 54 ALANVIT BROILER STARTER 0.1%
- 55 ALANVIT BROILER GROWER 0.1%

- P
- 56 ALANVIT BROILER FINISHER 0.1%
- 57 ALANMIN BROILER 0.1%
- 58 SUPER ALAN BROILER STARTER 2.5%
- 59 SUPER ALAN BROILER GROWER 2.5%
- 60 SUPER ALAN- BROILER FINISHER 2.5%

ALANVIT LAYER PRO 0.1%



COMPOSITION:

Each 1000 gr contains:

Vitamin A	10,000,000	IU
Vitamin D3	2,500,000	IU
Vitamin E	25,000	mg
Vitamin B1	1,000	mg
Vitamin B2	4,000	mg
Vitamin B3 (Niacin)	30,000	mg
Vitamin B5 (Calcium D-Pantothenate)	10,000	mg
Vitamin B6	3,000	mg
Vitamin B7 (Biotin)	50,000	mcg
Vitamin B9 (Folic Acid)	500	mg
Vitamin B12	25,000	mcg
Vitamin K3	3,000	mg
Anti-Oxidant	Included	
Anti-Caking	Included	

DOSAGE:

- 1 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

ALANVIT LAYER BRE 0.1%



COMPOSITION:

Each 1000 gr contains:

Vitamin A	10,000,000	IU
Vitamin D3	2,000,000	IU
Vitamin E	25,000	mg
Vitamin B1	1,000	mg
Vitamin B2	6,000	mg
Vitamin B3 (Niacin)	30,000	mg
Vitamin B5 (Calcium D-Pantothenate)	8,000	mg
Vitamin B6	3,000	mg
Vitamin B7 (Biotin)	50,000	mcg
Vitamin B9 (Folic Acid)	1,000	mg
Vitamin B12	20,000	mcg
Vitamin K3	3,000	mg
Anti-Oxidant	Included	
Anti-Caking	Included	

DOSAGE:

- 1 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



49



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

ALANMIN LAYER 0.1%



COMPOSITION:

Each 1000 gr contains:

Manganese	100,000	mg
Copper	5,000	mg
Zinc	60,000	mg
Iron	25,000	mg
Iodine	500	mg
Selenium	200	mg

DOSAGE:

- 1 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



50



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

SUPER ALAN LAYER 1%



COMPOSITION:

Each 10 Kg contains:

Vitamin A	10,000,000	IU	Manganese	100,000	mg
Vitamin D3	3,000,000	IU	Iron	60,000	mg
Vitamin E	25,000	mg	Zinc	60,000	mg
Vitamin B1	2,000	mg	Copper	8,000	mg
Vitamin B2	5,000	mg	Iodate	1,000	mg
Vitamin B3(Niacin)	40,000	mg	Selenium	250	mg
Vitamin B5 (Pantothenic Acid)	12,000	mg	Cobalt	150	mg
Vitamin B6	5,000	mg	BHT	30,000	mg
Vitamin B7 (Biotin)	50	mg	BHA	7,500	mg
Vitamin B9 (Folic Acid)	750	mg	Phosphorus	4.5	%
Vitamin B12	20	mg	Calcium	16	%
Vitamin K3	3,000	mg	Sodium	4	%
Vitamin C	100,000	mg	Methionine	15	%
Choline Chloride	100,000	mg	lysine	7.5	%
Phytase	400,000	FUT	Antitoxin	Included	
Xylanase	1,275,000	FUT	Anti-caking	Included	

DOSAGE:

- 10 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



51



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

SUPER ALAN LAYER 2.5%



COMPOSITION:

Each 1000 gr contains:

Vitamin A	440,000	IU
Vitamin D3	110,000	IU
Vitamin E	1,400	mg
Vitamin B1	100	mg
Vitamin B2	160	mg
Vitamin B3(Niacin)	1,200	mg
Vitamin B5 (Pantothenic Acid)	400	mg
Vitamin B6	120	mg
Vitamin B7 (Biotin)	2,000	mcg
Vitamin B9 (Folic Acid)	21	mg
Vitamin B12	1,000	mcg
Vitamin K3	120	mg
Choline Chloride 60%	30,000	mg
Manganese	4,010	mg
Iron	1,600	mg
Zinc	2,420	mg

Copper	600	mg
Iodine	40	mg
Selenium	10	mg
Sodium Chloride	80,000	mg
Sodium bicarbonate	80,000	mg
Methionine	5.55	%
L-lysine Hcl	2	%
Calcium	22	%
Phosphorus	4.5	%
Phytase	16,000	FUT
Xylanase	51,000	FUT
Antitoxin	Included	
Anti - Caking	Included	
Anti - Oxidant	Included	

DOSAGE:

- 25 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



52



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

ALAN Shell

COMPOSITION:

Each 10 Kg contains:

Vitamin D3	10,000,000	IU
Copper (Copper Glycinate)	50,000	mg
Zinc (Zinc Glycinate)	300,000	mg
Manganese (Manganese Glycinate)	300,000	mg
Selenium (Selenium Glycinate)	500	mg

INDICATIONS:

- Vitamin D3 is essential for the proper absorption and utilization of calcium and phosphorous, which are needed for normal growth, bone development, and eggshell formation.
- Zinc, manganese, and copper are compounds involved in the metabolism of eggshell formation. These trace minerals act as cofactors for enzymes involved in formation of the cortex matrix.
- Minerals act as structural components of soft tissues.
- Minerals are necessary for the transmission of nerve impulses and muscle contraction.
- Minerals play a vital role in the acid-base balance of the body, thus regulating the pH of the blood and other body fluids.

DOSAGE:

- 1 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



53



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

ALANVIT BROILER STARTER 0.1%



COMPOSITION:

Each 1 Kg contains:

Vitamin A	13,000,000	IU
Vitamin D3	5,000,000	IU
Vitamin E	80,000	mg
Vitamin B1	5,000	mg
Vitamin B2	9,000	mg
Vitamin B3(Niacin)	70,000	mg
Vitamin B5 (Pantothenic Acid)	25,000	mg
Vitamin B6	5,000	mg
Vitamin B7 (Biotin)	350,000	mcg
Vitamin B9 (Folic Acid)	2,500	mg
Vitamin B12	20,000	mcg
Vitamin K3	4,000	mg
Anti-Oxidant	Included	
Anti-Caking	Included	

DOSAGE:

- 1 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



54



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

ALANVIT BROILER GROWER 0.1%



COMPOSITION:

Each 1 Kg contains:

Vitamin A	11,000,000	IU
Vitamin D3	4,500,000	IU
Vitamin E	65,000	mg
Vitamin B1	4,000	mg
Vitamin B2	8,000	mg
Vitamin B3(Niacin)	65,000	mg
Vitamin B5 (Pantothenic Acid)	20,000	mg
Vitamin B6	4,000	mg
Vitamin B7 (Biotin)	280,000	mcg
Vitamin B9 (Folic Acid)	2,000	mg
Vitamin B12	18,000	mcg
Vitamin K3	3,600	mg
Anti-Oxidant	Included	
Anti-Caking	Included	

DOSAGE:

- 1 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



55



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

ALANVIT BROILER FINISHER 0.1%



COMPOSITION:

Each 1 Kg contains:

Vitamin A	10,000,000	IU
Vitamin D3	4,000,000	IU
Vitamin E	55,000	mg
Vitamin B1	3,000	mg
Vitamin B2	7,000	mg
Vitamin B3(Niacin)	50,000	mg
Vitamin B5 (Pantothenic Acid)	15,000	mg
Vitamin B6	3,000	mg
Vitamin B7 (Biotin)	220,000	mcg
Vitamin B9 (Folic Acid)	1,800	mg
Vitamin B12	16,000	mcg
Vitamin K3	3,200	mg
Anti-Oxidant	Included	
Anti-Caking	Included	

DOSAGE:

- 1 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



56



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

ALANMIN BROILER 0.1%



COMPOSITION:

Each 1 Kg contains:

Manganese	120,000	mg
Copper	16,000	mg
Zinc	120,000	mg
Iron	20,000	mg
Iodine	1,250	mg
Selenium	300	mg
Anti-Caking	Included	

DOSAGE:

- 1 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



57



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

SUPER ALAN BROILER STARTER 2.5%



COMPOSITION:

Each 1 Kg contains:

Vitamin A	520,000	U
Vitamin D3	200,000	IU
Vitamin E	3,200	mg
Vitamin K3	160	mg
Vitamin B1	200	mg
Vitamin B2	360	mg
Vitamin B3(Niacin)	2,800	mg
Vitamin B5 (Pantothenic Acid)	1,000	mg
Vitamin B6	200	mg
Vitamin B7 (Biotin)	14,000	mcg
Vitamin B9 (Folic Acid)	100	mg
Vitamin B12	800	mcg
Choline	24,000	mg
Manganese	4,800	mg
Iron	800	mg
Zinc	4,800	mg
Copper	640	mg

Iodine	50	mg
Selenium	12	mg
DL-Methionine	12	%
L-Lysine	10	%
L-Threonine	10	%
Phosphor	4.5	%
Sodium	6.4	%
Chloride	9	%
6-Fytaze	80,000	FTU
Xylanase	60,000	FTU
Anti-Toxin	Included	
Anti-Oxidant	Included	
Anti-Caking	Included	

DOSAGE:

- 25 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED FOR:



58



MEDICATED DRINKING WATER SHOULD BE USED WITHIN 24 HOURS.

SUPER ALAN BROILER GROWER 2.5%



COMPOSITION:

Each 1 Kg contains:

Vitamin A	440,000	IU	Iodine	50	mg
Vitamin D3	180,000	IU	Selenium	12	mg
Vitamin E	2,600	mg	DL-Methionine	12	%
Vitamin K3	144	mg	L-Lysine	10.5	%
Vitamin B1	160	mg	L-Threonine	9.5	%
Vitamin B2	320	mg	Phosphor	3.8	%
Vitamin B3(Niacin)	2,600	mg	Sodium	6.4	%
Vitamin B5 (Pantothenic Acid)	800	mg	Chloride	9	%
Vitamin B6	160	mg	6-Fytaze	80,000	FTU
Vitamin B7 (Biotin)	11,200	mcg	Xylanase	60,000	FTU
Vitamin B9 (Folic Acid)	80	mg	Anti-Toxin	Included	
Vitamin B12	720	mcg	Anti-Oxidant	Included	
Choline	24,000	mg	Anti-Caking	Included	
Manganese	4,800	mg			
Iron	800	mg			
Zinc	4,800	mg			
Copper	640	mg			

DOSAGE:

- 25 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED
FOR:



59



MEDICATED DRINKING WATER SHOULD
BE USED WITHIN 24 HOURS.

SUPER ALAN- BROILER FINISHER 2.5%



COMPOSITION:

Each 1 Kg contains:

Vitamin A	400,000	IU
Vitamin D3	160,000	IU
Vitamin E	2,200	mg
Vitamin K3	128	mg
Vitamin B1	120	mg
Vitamin B2	280	mg
Vitamin B3(Niacin)	2,000	mg
Vitamin B5 (Pantothenic Acid)	600	mg
Vitamin B6	120	mg
Vitamin B7 (Biotin)	8,800	mcg
Vitamin B9 (Folic Acid)	72	mg
Vitamin B12	640	mcg
Choline	24,000	mg
Manganese	4,800	mg
Iron	800	mg
Zinc	4,800	mg
Copper	640	mg

Iodine	50	mg
Selenium	12	mg
DL-Methionine	12.25	%
L-Lysine	11	%
L-Threonine	9.8	%
Phosphor	3.25	%
Sodium	6.4	%
Chloride	9	%
6-Fytaze	80,000	FTU
Xylanase	60,000	FTU
Anti-Toxin	Included	
Anti-Oxidant	Included	
Anti-Caking	Included	

DOSAGE:

- 25 Kg for 1 Ton of Feed.



SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED FOR:



60



MEDICATED DRINKING WATER SHOULD BE USED WITHIN 24 HOURS.