

# RUMINANTS PREMIXES

- 62 SUPER ALAN MILK-SC
- 63 ALAN MILK
- 64 ALANMILK-SC
- 65 SUPER ALAN BEEF-SC
- 66 ALANBEEF
- 67 KOYUVIT-SC
- 68 ALANVIT-FORT

- 9 ALANVIT PLUS
- 70 MINERALAN
- 71 SUPERTAMPOM
- ADE-TAMPOM
- **TAMPOMIX**
- 4 SACC -LAN

### **SUPER ALAN MILK-SC**



#### COMPOSITION:

Each 10 Kg contains:

| Vitamin A                      | 14,500,000 | IU |
|--------------------------------|------------|----|
| Vitamin D3                     | 2,700,000  | IU |
| Vitamin E                      | 52,000     | mg |
| Vitamin B3                     | 80,000     | mg |
| Vitamin B7                     | 2,000      | mg |
| DI-Metionine                   | 2,000      | mg |
| L-Lizin Hcl                    | 2,000      | mg |
| Manganese                      | 40,000     | mg |
| Manganese (Manganese Glysinate | 10,000     | mg |
| Iron                           | 40,000     | mg |
| Zinc                           | 40,000     | mg |
| Zinc (Zinc Glysinate)          | 10,000     | mg |

| Copper                    | 8,000       | mg  |
|---------------------------|-------------|-----|
| Copper (Copper Glysinate) | 2,000       | mg  |
| lodine                    | 800         | mg  |
| Cobalt                    | 300         | mg  |
| Selenium                  | 200         | mg  |
| Phosphor                  | 180,000     | mg  |
| ВНТ                       | 10,000      | mg  |
| Saccharomyces Cerevisiae  | 100 × 10^10 | CFU |
| Bypass Fat                | 1,300,000   | mg  |
| Toxin Binders             | 1,000,000   | mg  |
| Sodium Bicarbonate        | 100,000     | mg  |
| Vanilla Aroma             | 30,000      | mg  |

#### DOSAGE:

- 10 Kg for 1 Ton of feed.
- 100 gr/day for Calf and veal feed.
- 15 gr/day is added to cow and bull feed.

#### **INDICATIONS:**

Increasing feed efficiency and obtaining a high level of efficiency.

Increased appetite.

Fertility increase.

Increasing meat and dairy production.

Prolongs the peak period of lactation.

An increase in the acceleration of the growth process.

Reduces the possibility of white muscle disease that may occur.

Prevention of nail, hair and skin disorders.

Prevention of the risks of hypocalcemia that may occur after childbirth.

Increases the animal's resistance to metabolic diseases.

Increase the percentage of fat in milk.

### SUPPLEMENT

It is a Feed Additive Not Used as Medicine

IT'S USED FOR:













# **ALAN MILK**



#### **COMPOSITION:**

Each 10 Kg contains:

| Vitamin   | Α     | 9,000,000 | IU |
|-----------|-------|-----------|----|
| Vitamin   | D3    | 2,000,000 | IU |
| Vitamin   | E     | 30,000    | mg |
| Vitamin   | В3    | 60,000    | mg |
| Vitamin   | B7    | 750       | mg |
| DI-Meti   | onine | 10,000    | mg |
| L-Lizin H | lcl   | 10,000    | mg |
| Mangan    | ese   | 40,000    | mg |
| Iron      |       | 50,000    | mg |
| Zinc      |       | 40,000    | mg |
| Copper    |       | 10,000    | mg |
|           |       |           |    |

| Calcium                  | 22,000      | mg  |
|--------------------------|-------------|-----|
| Iodine                   | 500         | mg  |
| Cobalt                   | 200         | mg  |
| Selenium                 | 200         | mg  |
| Magnesium Oxide          | 5,000       | mg  |
| Phosphor                 | 5,000       | mg  |
| Sodium                   | 3,000       | mg  |
| Saccharomyces Cerevisiae | 100 × 10^10 | CFU |
| Toxin Binders            | 2,000,000   | mg  |
| ВНТ                      | 10,000      | mg  |
| Vanilla Aroma            | 30,000      | mg  |

#### DOSAGE:

- 10 Kg for 1 Ton of feed.
- 100 gr/day for Calf and veal feed.
- 10 gr/day is added to cow and bull feed.

#### **INDICATIONS:**

Increasing feed efficiency and obtaining a high level of efficiency.

Increased appetite.

Fertility increase.

Increasing meat and dairy production.

Prolongs the peak period of lactation.

An increase in the acceleration of the growth process.

Reduces the possibility of white muscle disease that may occur.

Prevention of nail, hair and skin disorders.

Prevention of the risks of hypocalcemia that may occur after childbirth.

Increases the animal's resistance to metabolic diseases.

### **SUPPLEMENT**

It is a Feed Additive Not Used as Medicine

IT'S USED FOR:















### **ALANMILK-SC**



#### COMPOSITION:

Each 10 Kg contains:

| Vitamin A                | IU  |
|--------------------------|-----|
| Vitamin D3               | IU  |
| Vitamin E                | mg  |
| Vitamin B3               | mg  |
| Manganese                | mg  |
| Iron                     | mg  |
| Zinc                     | mg  |
| Copper                   | mg  |
| lodine                   | mg  |
| Cobalt                   | mg  |
| Selenium                 | mg  |
| Saccharomyces Cerevisiae | CFU |
| DI-Metionine             | mg  |
| L-Lizin Hcl              | mg  |
| Magnesium Oxide          | mg  |

#### INDICATIONS:

Increase feeding efficiency and obtain a high level of efficiency.

Increased appetite.

Fertility increase.

Increased meat production.

Prolongs the peak period of lactation.

An increase in the acceleration of the growth process.

Reduces the possibility of white muscle disease.

Prevention of nail, hair and skin disorders.

Prevention of the risks of hypocalcemia that may occur after childbirth.

Increases the animal's resistance to metabolic diseases.

#### DOSAGE:

- 10 Kg for 1 Ton of feed.
- 100 gr/day for Calf and veal feed.
- 10 gr/day is added to cow and bull feed.



### SUPPLEMENT

It is a Feed Additive Not Used as Medicine

IT'S USED FOR:















### **SUPER ALAN BEEF-SC**



#### COMPOSITION:

Each 10 Kg contains:

| Vitamin | Α   | 8,000,000 | IU |
|---------|-----|-----------|----|
| Vitamin | D3  | 1,750,000 | IU |
| Vitamin | E   | 10,000    | mg |
| Vitamin | B1  | 1,960     | mg |
| Vitamin | B2  | 1,600     | mg |
| Vitamin | В3  | 9,900     | mg |
| Vitamin | B5  | 3,000     | mg |
| Vitamin | B6  | 2,480     | mg |
| Vitamin | B7  | 50        | mg |
| Vitamin | B12 | 10        | mg |
| Copper  |     | 6,500     | mg |
|         |     |           |    |

| Manganese                | 44,950      | mg  |
|--------------------------|-------------|-----|
| Zinc                     | 21,750      | mg  |
| Iron                     | 39,000      | mg  |
| lodine                   | 680         | mg  |
| Cobalt                   | 130         | mg  |
| Selenium                 | 50          | mg  |
| ВНТ                      | 10,000      | mg  |
| Saccharomyces Cerevisiae | 300 × 10^10 | CFU |
| Toxin Binders            | 525,000     | mg  |
| Vanilla Aroma            | 30,000      | mg  |
|                          |             |     |

#### DOSAGE:

- 10 Kg for 1 Ton of feed.
- 50 gr/day for Calf and veal feed.
- 100 gr/day is added to cow and bull feed.

### **INDICATIONS:**

Increase feeding efficiency and obtain a high level of efficiency.

Increased appetite.

Fertility increase.

Increased meat production.

Prolongs the peak period of lactation.

An increase in the acceleration of the growth process.

Reduces the possibility of white muscle disease.

Prevention of nail, hair and skin disorders.

Prevention of the risks of hypocalcemia that may occur after childbirth.

Increases the animal's resistance to metabolic diseases.

### SUPPLEMENT

It is a Feed Additive Not Used as Medicine

FOR:

















### **ALANBEEF**



#### **COMPOSITION:**

Each 10 Kg contains:

| Vitamin A  | 6,500,000 | IU |
|------------|-----------|----|
| Vitamin D3 | 500,000   | IU |
| Vitamin E  | 6,000     | mg |
| Vitamin B7 | 50        | mg |
| Copper     | 3,000     | mg |
| Manganese  | 40,000    | mg |
| Zinc       | 30,000    | mg |
| Iron       | 30,000    | mg |
|            |           |    |

| Iodine                   | 600         | mg  |
|--------------------------|-------------|-----|
| Cobalt                   | 100         | mg  |
| Selenium                 | 100         | mg  |
| Phosphor                 | 9,000       | mg  |
| Saccharomyces Cerevisiae | 100 × 10^10 | CFU |
| ВНТ                      | 10,000      | mg  |
| Toxin Binders            | 50,000      | mg  |
| Vanilla Aroma            | 30,000      | mg  |

#### DOSAGE:

- 10 Kg for 1 Ton of feed.
- 50 gr/day for Calf and veal feed.
- 100 gr/day is added to cow and bull feed.

#### **INDICATIONS:**

Increase feeding efficiency and obtain a high level of efficiency.

Increased appetite.

Fertility increase.

Increased meat production.

An increase in the acceleration of the growth process.

Reduces the possibility of white muscle disease.

Prevention of nail, hair and skin disorders.

Increases the animal's resistance to metabolic diseases.



### **SUPPLEMENT**

It is a Feed Additive
Not Used as Medicine

IT'S USED FOR:













# **KOYUVIT-SC**



#### **COMPOSITION:**

Each 10 Kg contains:

| Vitamin A                | 7,500,000   | IU  |
|--------------------------|-------------|-----|
| Vitamin D3               | 1,000,000   | IU  |
| Vitamin E                | 15,000      | mg  |
| Vitamin B1               | 1,960       | mg  |
| Vitamin B2               | 1,600       | mg  |
| Vitamin B3               | 9,900       | mg  |
| Vitamin B5               | 3,000       | mg  |
| Vitamin B6               | 2,480       | mg  |
| Vitamin B7               | 30          | mg  |
| Vitamin B12              | 10          | mg  |
| Copper                   | 3,500       | mg  |
| Manganese                | 49,600      | mg  |
| Zinc                     | 29,000      | mg  |
| Iron                     | 30,000      | mg  |
| lodine                   | 810         | mg  |
| Cobalt                   | 40          | mg  |
| Selenium                 | 900         | mg  |
| Saccharomyces Cerevisiae | 200 × 10^10 | CFU |
| Toxin Binders            | 750,000     | mg  |
|                          |             |     |

Vanilla Aroma

30,000

mg

#### **INDICATIONS:**

Increase feeding efficiency and obtain a high level of efficiency.

Increased appetite.

Fertility increase.

Increased meat production.

An increase in the acceleration of the growth process.

Reduces the possibility of white muscle disease.

Prevention of nail, hair and skin disorders.

Increases the animal's resistance to metabolic diseases.

#### DOSAGE:

- Sheep, Goat and Cattle milk feeds and beef fattening feeds lamb-calf starter and rearing 10 Kg is added to the ton of their feed.



### **SUPPLEMENT**

It is a Feed Additive Not Used as Medicine

IT'S USED FOR:













# **ALANVIT-FORT**



**Choline Chloride 60%** 

15,000

mg

DOSAGE:

- 1 kg per 1 ton of feed.

| COMPOSITION: Each 1           | 000 gr contair | าร  |
|-------------------------------|----------------|-----|
| Vitamin A                     | 6,000,000      | IU  |
| Vitamin D3                    | 1,500,000      | IU  |
| Vitamin E                     | 5,000          | mg  |
| Vitamin B1                    | 1,000          | mg  |
| Vitamin B2                    | 2,000          | mg  |
| Vitamin B3 (Niacin)           | 5,000          | mg  |
| Vitamin B5 (Pantothenic Acid) | 2,000          | mg  |
| Vitamin B6                    | 1,000          | mg  |
| Vitamin B7 (Biotin)           | 3,000          | mcg |
| Vitamin B9 (Folic Acid)       | 250            | mg  |
| Vitamin B12                   | 8,000          | mcg |
| Manganese Oxide               | 10,000         | mg  |
| Copper Sulphate               | 3,000          | mg  |
| Zinc Sulphate                 | 2,000          | mg  |
| Iron Sulphate                 | 4,000          | mg  |
| Cobalt Sulphate               | 20             | mg  |
| Calcium Iodate                | 20             | mg  |
| Sodium Selenite 4.5%          | 5              | mg  |
| DL-Methionine                 | 15,000         | mg  |



### SUPPLEMENT

It is a Feed Additive Not Used as Medicine

IT'S USED FOR:













# **ALANVIT PLUS**



| COMPOSITION: Ea      | ch 1000 gr contair | าร |
|----------------------|--------------------|----|
| Vitamin A            | 4,000,000          | IU |
| Vitamin D3           | 1,000,000          | IU |
| Vitamin E            | 15,000             | mg |
| Manganese Oxide      | 16,000             | mg |
| Copper Sulphate      | 1,000              | mg |
| Zinc Sulphate        | 5,000              | mg |
| Iron Sulphate        | 8,000              | mg |
| Cobalt Sulphate      | 40                 | mg |
| Calcium Iodate       | 100                | mg |
| Sodium Selenite 4.5% | 200                | mg |

#### INDICATIONS:

Prevention of vitamin and mineral deficiencies.

increased growth.

Minerals act as structural components of soft tissues.

Minerals are necessary for the transmission of nerve impulses and muscle contraction.

Regulates the pH of blood and other body fluids.

### DOSAGE:

- 1 Kg per ton of feed.



### **SUPPLEMENT**

It is a Feed Additive
Not Used as Medicine

IT'S USED FOR:











69

# **MINERAALAN**



| COMPOSITION: Eac   | Each 1000 gr contains |    |  |
|--------------------|-----------------------|----|--|
| Manganese Sulphate | 4,000                 | mg |  |
| Copper Sulphate    | 60,000                | mg |  |
| Zinc Oxide         | 2,000                 | mg |  |
| Iron Sulphate      | 1,000                 | mg |  |
| Magnesium Sulphate | 80,000                | mg |  |
| Cobalt Sulphate    | 20                    | mg |  |
| Sodium Chloride    | 125,000               | mg |  |
| Phosphor           | 21,000                | mg |  |
| Calcium            | 17 182                | mø |  |

#### INDICATIONS:

Prevention of mineral deficiencies.

increased growth.

Minerals act as structural components of soft tissues.

Minerals are necessary for the transmission of nerve impulses and muscle contraction.

Regulates the pH of blood and other body fluids.

### DOSAGE:

- 1 kg per 1 ton of feed.



### **SUPPLEMENT**

It is a Feed Additive
Not Used as Medicine

IT'S USED FOR:















### **SUPERTAMPOM**



### **COMPOSITION:**

Each 10 Kg contains:

| Sodium Bicarbonate | 6,000,000 | IU |
|--------------------|-----------|----|
| Magnesium Oxide    | 2,000,000 | IU |
| Potassium Chloride | 68,000    | mg |
| Sodium Chloride    | 132,000   | mg |
| Inactive Yeast     | 175,000   | mg |



#### **INDICATIONS:**

Reducing digestive problems.

Prevention of bloating that occurs at the end of fattening.

Prevention of acidosis after breastfeeding.

Prevention of nail injury problems.

Increasing the rate of feed consumption.

### DOSAGE:

- Cattle: 100 gr (daily).

- Sheep: 20 gr (daily).



### **SUPPLEMENT**

It is a Feed Additive
Not Used as Medicine

IT'S USED FOR:











71

# **SACC-LAN**



COMPOSITION:

Each 1 Kg contains:

Saccharomyces Cerevisiae

100\*10^10 CFU

#### INDICATIONS:

Increase digestive activity and regulate digestion.

Increase production rate.

Increase numbers and activity of the digestive system flora.

Supports the growth of bones, teeth and cartilage.

#### DOSAGE:

- 1 Kg for 1 Ton of Feed.



# **SUPPLEMENT**

It is a Feed Additive
Not Used as Medicine

IT'S USED FOR:











74

# **ADE-TAMPOM**



### COMPOSITION:

Each 10 Kg contains:

| Sodium Bicarbonate | 3,000,000 | IU |
|--------------------|-----------|----|
| Magnesium Oxide    | 2,000,000 | IU |
| Potassium Chloride | 68,000    | mg |
| Sodium Chloride    | 132,000   | mg |
| Inactive Yeast     | 175,000   | mg |

### × II

#### **INDICATIONS:**

Reducing digestive problems.

Prevention of bloating that occurs at the end of fattening.

Prevention of acidosis after breastfeeding.

Prevention of nail injury problems.

Increasing the rate of feed consumption.

### DOSAGE:

- Cattle: 150 gr (daily).

- Sheep: 30 gr (daily).



### SUPPLEMENT

It is a Feed Additive
Not Used as Medicine

IT'S USED FOR:















# **TAMPOMMIX**



### COMPOSITION:

Each 10 Kg contains:

| Sodium Bicarbonate | 2,250,000 | IU |
|--------------------|-----------|----|
| Magnesium Oxide    | 1,100,000 | IU |
| Potassium Chloride | 25,000    | mg |
| Sodium Chloride    | 75,000    | mg |
| Inactive Yeast     | 175,000   | mg |

### INDICATIONS:

Reducing digestive problems.

Prevention of bloating that occurs at the end of fattening.

Prevention of acidosis after breastfeeding.

Prevention of nail injury problems.

Increasing the rate of feed consumption.

### DOSAGE:

- Cattle: 200 gr (daily).

- Sheep: 40 gr (daily).



### SUPPLEMENT

It is a Feed Additive Not Used as Medicine

IT'S USED FOR:











